

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/718,227	11/19/2003	David Karl Stroup		9050
27189 7	590 08/25/2005		EXAMINER	
	CORY, HARGREAVE	COMPTON	COMPTON, ERIC B	
530 B STREET	Γ		ART UNIT	PAPER NUMBER
SUITE 2100 SAN DIEGO, CA 92101			AKTONII	FAPER NUMBER
			3726	

DATE MAILED: 08/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			<u> </u>			
		Application No.	Applicant(s)			
Office Action Summary		10/718,227	STROUP, DAVID KARL			
		Examiner	Art Unit			
		Eric B. Compton	3726			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. In SIX (6) MONTHS from the mailing date of this communication. The period for reply specified above is less than thirty (30) days, a reply opened for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timy within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1) 🛛	Responsive to communication(s) filed on 26 M	ay 2005.				
·		action is non-final.				
·—	Since this application is in condition for allowar		esecution as to the merits is			
,—	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	ion of Claims		•			
4)⊠	Claim(s) <u>1-10 and 12-20</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)□	Claim(s) is/are allowed.					
6)⊠	Claim(s) <u>1-10 and 12-20</u> is/are rejected.					
7)	Claim(s) is/are objected to.					
8)□	Claim(s) are subject to restriction and/or	r election requirement.				
Applicati	on Papers					
9)☐ The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	inder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 						
2. Certified copies of the priority documents have been received in Application No						
	 Copies of the certified copies of the priori application from the International Bureau 	•	d in this National Stage			
* See the attached detailed Office action for a list of the certified copies not received.						
			·			
Attachment	t(s) e of References Cited (PTO-892)	оП	(DTO 140)			
	(PTO-413) te					
3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date		atent Application (PTO-152)			

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-10 and 12-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Admitted Prior Art (AAPA) in view of U.S. Pat. 5,979,637 to Iwamoto et al ("Iwamoto") and further in view of U.S. Pat. 6,071,112 to Calvin et al ("Calvin").

AAPA, as found on page 1 of the Specification, discloses: "Assembly or manufacturing systems and methods have been devised in the past for producing diagnostic medical test kits (e.g., at-home pregnancy test kit). However, the inventor is not aware of a diagnostic medical test kit assembly system and method that is automatic, high-throughput, in-line, and flexible in nature to allow for families of related diagnostic medial test kits of different products to be assembled with the same system with minimum manual changeover time." See also U.S. Pats, 6,352,862; 5,658,801; 5,656,503; and 4,943,522 (disclosing various diagnostic medial test kits).

lwamoto discloses an automatic assembly system for assembling an article, which "is flexible in accordance with a change in the production line as a change of the number of steps on the same production line." Col. 1, lines 8-10. Furthermore, the apparatus "can easily be adapted to a revised or new production line having a plurality

Art Unit: 3726

of steps." Col. 1, lines 44-46. The apparatus comprises: an assembly line (1) having a start end, a return end, a conveyor running in a direction; a return line (78) parallel to the assembly line and having a start end, a return end, and a conveyor running in a direction opposite of that of the conveyor of the assembly line; a plurality of pallets (13) carrying components (53) of the article; a plurality of work stations (70-75) disposed along the assembly line to perform assembly steps on the components of the medical test kit; a start end pallet transfer mechanism (69) disposed at the start end of the assembly line and the return line to transfer the pallets from the return line to the assembly line; and a finish end pallet transfer mechanism (76) disposed at the finish end of the assembly line and the return line to transfer the pallets from the assembly line to the return line. The method of assembling the article is inherently provided for as well. See Col. 3, line 48 - Col 5, line 24. Although the reference discloses a preferred embodiment for forming a camera, the reference does notes the assembling line could be configured to form other articles. See Col. 5, lines 26-30.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have formed the medical diagnostic medial test kit of AAPA, using an automatic, high-throughput, in-line, and flexible apparatus (and associated method) as claimed, in light of the teachings of Iwamoto, in order to "provide a pallet conveyor which can easily be adapted to a revised or new production line having a plurality of steps." Col. 1, lines 44-46.

However, the AAPA and Iwamoto do not disclose the particular steps for assembling the diagnostic medical test kit as claimed especially including an inspection

Application/Control Number: 10/718,227

Art Unit: 3726

step whereby defective parts are ejected.

"Stick" type diagnostic medical test kits, like that discussed and claimed by Applicant, are generally known in the art, having a base, a test strip, a wick, a cover, and a cap. See e.g. U.S. Pat. 6,352,862 (showing a base (111), a test strip (114, 116), a wick (113), a cover (110), and a cap (103)). Inherently in an automated production line system the steps of assembling the various parts are provided for, e.g., a base loading station, test strip insertion station, wick loading station, cover loading station, and cap loading station. Official Notice is taken that various pneumatic assembling operations, such as presses are readily available in the production line assembly arts.

Calvin disclose disclosing an optical inspection system for an automated assembly line for producing contact lenses packages for verifying the presence of a foil cover and rejecting those articles which fail inspection. See Col. 25, lines 44-61; see also U.S. 5,427,252, Col. 8, lines 20-28 (disclosing using photo sensors for verifying the presence/conditions of pallets to avoid jams).

Regarding claims 1 and 12, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have provided the apparatus (and associated method) of AAPA/Iwamoto with an inspection station whereby defective parts are ejected, in light of the teachings of Calvin to insure/verify proper assembly and discriminate against defective articles.

Regarding claim 2, the assembly steps of Iwamoto are automatically performed.

See generally Fig. 2.

Regarding claims 3 and 13, Iwamoto discloses that production lines for different

articles are envisioned on the same conveyor. See e.g., Col. 1, lines 31-40 (discussing drawbacks of prior art eliminated by invention). Furthermore, the adding or eliminating of steps clearly suggests that workstations are added or removed as well. Figure 3 shows a pallet having registration means (13a, 13b) for engaging the base of the article. It would have also been obvious to one having ordinary skill in the art at the time the invention was made to have provided pallets suitable for different products (or at least having different registration means) in light of the teachings of Iwamoto, in order to form articles having different sizes or dimensions. *See also* U.S. Pat. 5,497,708.

Regarding claims 4 and 14, Iwamoto disclose one assembly operation occurs per machine cycle.

Regarding claims 5 and 15, Iwamoto does not disclose the duration of one cycle. Applicant claims 3,600 cycles per hour (i.e., 1 per minute). It would have been obvious to one having ordinary skill in the art at the time the invention was made to have performed 3,600 cycles per hour (i.e., 1 per minute) or more, in light of the teachings of Iwamoto, in order to increase efficiency.

Regarding claims 6 and 16, Iwamoto relies on a servo-driven motor (23) to advance an indexing conveyor (3, 5, 7) on the assembly line.

Regarding claims 7 and 17, Iwamoto relies on a conveyor on the assembly line having an upper surface with a plurality of cleats (18), which advance the pallets.

However, the reference does not disclose recesses on the pallet to engage the cleats. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have provided recesses in the pallets, which engage with the cleats, in

light of the teachings of Iwamoto, in order to provide even greater registration between the pallet and conveyor.

Regarding claims 8 and 18, Iwamoto does not disclose the type of return line conveyor (78). However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have provided a variable-speed linear return conveyor, in light of teachings Iwamoto, such that dwell time of the return conveyor can easily be synchronized with the dwell time of the assembly conveyor.

Regarding claims 9 and 19, Iwamoto discloses that only empty pallets are returned via the return conveyor (78). However, there is not disclosure of providing a sensor to verify this action taken. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have provided the apparatus (and associated method) with a photo-optic sensor to verify the pallets are returned empty, in light of the teachings of Iwamoto, to prevent the apparatus from jamming due to placing a new base on an un-empty pallet.

Response to Arguments

3. Applicant's arguments filed May 26, 2005 have been fully considered but they are not persuasive.

Applicant argues that the prior art, mainly Iwamoto, does not teach or suggest a "single conveyor running form a start end to a return end." However, the term "conveyor" itself can be ambiguous.

Application/Control Number: 10/718,227

Art Unit: 3726

The American Heritage® Dictionary of the English Language, Fourth Edition (2000) defines conveyor as:

One that conveys, especially a mechanical apparatus that transports materials, packages, or items being assembled from one place to another.

Clearly, the conveyor line show in figure 2 of Iwamoto can be considered a single conveyor since it is a "mechanical apparatus that transports materials, packages, or items being assembled from one place to another," even though it may contain multiple conveyor belts.

However, conveyor may also have a meaning in accordance with Applicant's interpretation. Word Net 2.0 (2003) (2d definition) defines conveyor as "a moving belt transports objects (as in a factory)." Iwamoto, as discussed by Applicant, relies on multiple conveyor belts.

During patent examination, the pending claims must be "given their broadest reasonable interpretation consistent with the specification." *In re Hyatt*, 211 F.3d 1367, 1372, 54 USPQ2d 1664, 1667 (Fed. Cir. 2000). Applicant always has the opportunity to amend the claims during prosecution, and broad interpretation by the examiner reduces the possibility that the claim, once issued, will be interpreted more broadly than is justified. *In re Prater*, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-51 (CCPA 1969) (Claim 9 was directed to a process of analyzing data generated by mass spectrographic analysis of a gas. The process comprised selecting the data to be analyzed by subjecting the data to a mathematical manipulation. The examiner made rejections under 35 U.S.C. 101 and 102. In the 35 U.S.C. 102 rejection, the examiner explained

Art Unit: 3726

that the claim was anticipated by a mental process augmented by pencil and paper markings. The court agreed that the claim was not limited to using a machine to carry out the process since the claim did not explicitly set forth the machine. The court explained that "reading a claim in light of the specification, to thereby interpret limitations explicitly recited in the claim, is a quite different thing from 'reading limitations' of the specification into a claim,' to thereby narrow the scope of the claim by implicitly adding disclosed limitations which have no express basis in the claim." The court found that applicant was advocating the latter, i.e., the impermissible importation of subject matter from the specification into the claim.). See also In re Morris, 127 F.3d 1048. 1054-55, 44 USPQ2d 1023, 1027-28 (Fed. Cir. 1997) (The court held that the PTO is not required, in the course of prosecution, to interpret claims in applications in the same manner as a court would interpret claims in an infringement suit. Rather, the "PTO applies to verbiage of the proposed claims the broadest reasonable meaning of the words in their ordinary usage as they would be understood by one of ordinary skill in the art, taking into account whatever enlightenment by way of definitions or otherwise that may be afforded by the written description contained in applicant's specification.").

Thus, the Iwamoto clearly discloses a "single conveyor running form a start end to a return end," when the limitation is broadly construed, rather than the construction Applicant's espouses of a single conveyor belt.

However, Applicant like Iwamoto discussed forming the assembly line by connecting multiple units (85) together. See Specification, page 7, lines 8-9 & page 14, lines 20-21; Figure 2. Thus, it may appear that Applicant may have to rely on multiple

Art Unit: 3726

conveyor belts, in such a situation, where multiple units (85) are used. A similar method is discussed in JP 02-298442.

Applicant also argues that U.S. Pat. 5,427,252 and Calvin do not disclose photooptic sensors. However, this is not found persuasive. U.S. Pat. 5,427,252 explicitly refers to the sensors as "photosensors." See Col. 8, lines 20-28. Likewise, Calvin refers to the inspection stations as an "optical detector probe." Applicant has not proffered any evidence that these are not photo-optic sensors.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric B. Compton whose telephone number is (571) 272-4527. The examiner can normally be reached on M-F, 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David p. Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Eric B. Compton Primary Examiner Art Unit 3726

ebc